

Een "Vertel een Vriend" formulier, de goedkoopste vorm van reclame. De bestandsnaam maakt niet uit... Alleen de roodgekleurde velden moeten aangepast worden aan je wensen.

Vriendelijke groeten

Ron Vos

```
<?php

//minimum characters allowed in the message box

$msg_min_chars = "10";

//maximum characters allowed in the message box

$msg_max_chars = "2500";

$errors = array();

function validate_form_items()
{
    global $msg_min_chars, $msg_max_chars;

    $msg_chars = "[".$msg_min_chars.", ".$msg_max_chars."]";

    $form_items = array(

        "name" => array(

            "regex" => "/^[a-zA-Z ']+$/",

            "error" => "Mogelijke fouten: Vul alstublieft uw naam in.",

        ),

        "email" => array(

            "regex" =>

                "/^[A-Za-z0-9]([_\\-]?[a-zA-Z0-9]+)*@([A-Za-z0-9]+(\\-)?[a-zA-Z0-9]+)\\.([A-Za-z]{2,})$/",

            "error" => "email adres is ongetdig.",

        ),

        "message" => array(

            "regex" => "/.*/",

            "error" => "uw bericht is te kort (min 10) of te lang (max $msg_max_chars tekens.",

        ),

    );

    global $errors;

    if(preg_match($form_items["name"]["regex"], $_POST["your_name"]))
```

```

        $errors[] = $form_items["name"]["error"];

    if(!preg_match($form_items["email"]["regex"], $_POST["your_email"]))

        $errors[] = "Uw ".$_form_items["email"]["error"];

    if(!preg_match($form_items["email"]["regex"], $_POST["friend_email1"]))

        $errors[] = "Invoer van uw vriend's ".$_form_items["email"]["error"];

    if(strlen(trim($_POST["message"])) < $msg_min_chars || strlen(trim($_POST["message"])) > $msg_max_chars )

        $errors[] = $form_items["message"]["error"];

    if(trim($_POST["friend_email2"]) != "")

    {

        if(!preg_match($form_items["email"]["regex"], $_POST["friend_email2"]))

            $errors[] = "Friend 2 ".$_form_items["email"]["error"];

    }

    if(trim($_POST["friend_email3"]) != "")

    {

        if(!preg_match($form_items["email"]["regex"], $_POST["friend_email3"]))

            $errors[] = "Friend 3 ".$_form_items["email"]["error"];

    }

    return count($errors);
}

function email($from, $from_name, $to, $message)

{

    //header("Location: thankyou.html");return;

    $headers .= "From: ".$from."\r\n";

    $headers .= "Content-type: text/plain; charset=ISO-8859-1";

    $your_domain_name = "www.uw website";

    //edit what you want your vistors to see in their email here

    $subject = $from_name." stuurt u een uitnodiging voor $your_domain_name";

    $your_message = "Hallo,\r\n";

    $your_message.= ucfirst($from_name);

    $your_message.= " wil je graag attenderen op de volgende website: $your_domain_name.\r\n";

    $your_message.= "Hieronder het bericht van de afzender:\r\n";

```

```
$message=$your_message.stripslashes($message);
```

```
if (mail($to,$subject,$message,$headers) ) {  
  
    return true;  
  
} else {  
  
    return false;  
  
}  
}
```

```
function print_error($errors)
```

```
{  
  
    foreach($errors as $error)  
  
    {  
  
        $err.=$error."<br/>";  
  
    }  
  
    echo  
  
    "<div style='border:1px red solid; font-size:12px; font-weight:normal; color:red; margin:10px; padding:10px;'>  
  
        $err  
  
    <div>";  
  
}
```

```
function form_process()
```

```
{  
  
    $from_name = $_POST["your_name"];  
  
    $from_email = $_POST["your_email"];  
  
  
    $to = $_POST["your_email"].",".$_POST["friend_email1"].",".$_POST["friend_email2"].",".$_POST["friend_email3"];  
  
    $message = $_POST["message"];  
  
  
    $error_count = validate_form_items();  
  
  
    if($error_count == 0)  
  
    {  
  
        if(email($from_email, $from_name, $to, $message))  
  
            header("Location: thankyou.html");  
  
        else  
  
        {  
  
            global $errors;  
  
            $errors[] = "Email couldn't be send at this time. <br>Please report the webmaster of this error.";
```

```
    }
}

}

if(isset($_POST["submit"]))
    form_process();

?>

<html>
<head>
<style type="text/css">
body { font: 11px Verdana, Geneva, arial, Helvetica, sans-serif;}
td { font: 11px Verdana, Geneva, arial, Helvetica, sans-serif;}
</style>
<div
<td align="center"><center><table border="1" cellpadding="4" cellspacing="0" width="422" height="10">
<tr>
<td colspan="2" style="border-bottom:1px solid black;">

<font size="+1"><b>Vertel uw vriend(en) over deze website</b></font>

</td>

</tr>
</tr></td></div>
<body bgcolor="#CCFDCC">
<form id="test" method="post" action="<?php echo $PHP_SELF?>" >
<table border="0">

<tr>

<td colspan="2">

<?php

global $errors;

if(count($errors) != 0){

    print_error($errors);

}

?>

</td>
```

```
</tr>

<tr>
  <td>
    <b>Uw naam:</b>
  </td>
  <td>
    <b>Uw email:</b>
  </td>
</tr>

<tr>
  <td>
    <input type="text" name="your_name" id="name" size="24" maxlength="25" value="<?php echo
$_POST["your_name"]?>">
  </td>
  <td>
    <input type="text" name="your_email" id="email" size="37" maxlength="80" value="<?php echo
$_POST["your_email"]?>">
  </td>
</tr>

<tr>
  <td colspan="2">
    <b>Email van vriend:</b><br>
    <input type="text" name="friend_email1" id="name" size="66" maxlength="80" value="<?php echo
$_POST["friend_email1"]?>">
  </td>
</tr>

<tr>
  <td colspan="2">
    <b>Email van vriend (2):</b><br>
    <input type="text" name="friend_email2" id="name" size="66" maxlength="80" value="<?php echo
$_POST["friend_email2"]?>">
  </td>
</tr>

<tr>
  <td colspan="2">
    <b>Email van vriend (3):</b><br>
    <input type="text" name="friend_email3" id="name" size="66" maxlength="80" value="<?php echo
$_POST["friend_email3"]?>">
  </td>
</tr>
```

```

        </td>
    </tr>

    <tr>
        <td>
            <b>Bericht:</b>
        </td>
        <td>
            <i>(min 10 en max 2500 tekens)</i>
        </td>
    </tr>
</tr>
<tr>
    <td colspan="2">
        <textarea name="message" id="message" cols="50" rows="5"><?php echo $_POST["message"]?
    </td>
</tr>
<tr>
    <td colspan="2" align="right">
        <i>(* Verplichte velden)</i> <input type="submit" value="Verstuur" name="submit" >
    </td>
</tr>
</table>
</form>

<input type="button" value="Sluit venster" onClick="javascript:window.close();">

</body>

</html>

```

En we bedanken de invuller met een `thankyou.html`:

```

<html>
<title>Bedankt</title>
<body>
<body bgcolor="#1E90FF">
<p align="center">
    <span align="center">Bedankt. De email is verzonden naar uw vriend(en).<br /><br />
    <input type="button" value="Sluit venster" onClick="javascript:window.close();">
</body>
</html>

```

